

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or contact is made with the skin or eyes. May cause severe irritation to eyes and moderate irritation to skin, lungs or stomach. Avoid contact with skin, eyes and clothing. Avoid breathing vapor or spray mist. Avoid using product in a manner as to directly, or through drift, expose workers or other persons. Always follow the precautionary statements on the label of the pesticide that is to be used with CMR SILICONE SURFACTANT.

ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

DIRECTIONS FOR USE

CMR SILICONE SURFACTANT is a new generation surfactant based on organomodified siloxane technology for use in water-based pesticide formulations. CMR SILICONE SURFACTANT is a highly effective nonionic wetter/spreader/penetrant surfactant. Careful observation of spray application is recommended to determine proper and efficient pesticide application. This will optimize the pesticide and surfactant load levels. While CMR SILICONE SURFACTANT has been proven to be a highly efficient surfactant, timing, weather conditions, methods of application, crop conditions, and/or mixture with other chemicals not specifically recommended are beyond the control of the seller. Therefore, the user should carefully observe spray deposits, rate efficiencies, compatibilities and effectiveness in initial application and adjust the adjuvant rates accordingly. CMR SILICONE SURFACTANT may be used on agricultural, forestry, turf and ornamental, industrial, structural and non-cropland sites.

MIXING: (1) Fill tank to 2/3 to 3/4 full of water. If foaming is anticipated, add an anti-foaming agent before pesticide and CMR SILICONE SURFACTANT. (2) Add pesticide as directed by pesticide label. (3) Continue agitation. (4) Add CMR SILICONE SURFACTANT and continue filling tank while maintaining agitation.

RECOMMENDATIONS: Pesticide manufacturers may recommend a rate of nonionic surfactant to be used with their product. Follow the pesticide label recommendations on use of surfactant. However, if the pesticide label does not have a specific recommendation for surfactant use, but does not prohibit the use of a nonionic surfactant,

CMR SILICONE SURFACTANT

ORGANOSILICONE SURFACTANT

PRINCIPAL FUNCTIONING AGENTS:

A blend of polyether-polymethylsiloxane-copolymer and nonionic surfactant..... 100%

CA Reg. No. 1050775-50025-AA

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements

CONDITIONS OF SALE AND WARRANTY

Creative Marketing & Research, Inc. (CMR) warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. CMR neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of CMR and Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall CMR or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by CMR and is accepted as such by the Buyer.

NET CONTENTS: 1 GALLON / 3.79 LITERS

Manufactured by



CREATIVE MARKETING & RESEARCH, INC.
P.O. Box 35000 • Fresno, CA 93745-5000
(559) 499-2100

CMR SILICONE SURFACTANT should be applied at the rates listed below. Careful observation of spray performance in a trial application with the combination of chemicals to be applied is recommended to determine proper and efficient surfactant rates.

ASA SPRAY ADJUVANT:

With herbicides, defoliants, micronutrients: Apply at a rate of 6-16 fl.oz. per 100 gallons of spray solution.

With insecticides, miticides, fungicides: Apply at a rate of 6-12 fl.oz. per 100 gallons of spray solution.

For use with aerial applications: Apply at a rate of 12-16 fl.oz. per 100 gallons of spray solution.

For backpack or hand held sprayers: Apply at a rate of 1/2 fl.oz. per gallon of spray solution.

FOR USE WITH LIQUID FERTILIZATION: Apply CMR SILICONE SURFACTANT to liquid fertilizer/water solutions at the rate of 6-13 fl.oz. per 100 gallons of mix. Not a plant food ingredient.

ASA SOIL WETTING AGENT:

Golf course tees and greens: Apply at a concentration of 0.1% v/v or use the spray rate chart below.

Spray rate/1000 sq. ft.	Amount of CMR SILICONE SURFACTANT in mix
1.0 gal.	1/8 fl.oz.
1.5 gal.	1/5 fl.oz.
2.0 gal.	1/4 fl.oz.

Repeat as needed to overcome hydrophobic soil condition. Irrigation is not needed, but will help incorporate the treatment into the soil.

For large turf areas such as golf fairways:

Boom sprayers: Apply at concentration of 0.05 - 0.1% or approximately 6-13 fl.oz. per 100 gallons of tank mix/water.

Injection through irrigation: Adjust proportioning valve to inject at the ratio 1:1000, based on weekly application. To accommodate 100:1 proportioners, mix a 10% solution of product and water and inject at 100:1.

As a mulch, peat or potting soil wetting agent: Apply at a concentration of 0.05-0.1% v/v of water (6-13 fl.oz. per 100 gallons). Repeat as needed.

ASA DEW CONTROL AGENT: CMR SILICONE SURFACTANT will prevent dew formation on turf areas such as tees and greens. Apply with a boom sprayer or hand sprayer. Use a concentration of 0.1% in water or approximately 13 fl.oz. per 100 gallons every 7-10 days.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in tightly closed, original container away from children, animals, foods, feeds and seeds. Do not allow water to be introduced to the contents of this container. Do not store near heat or open flame. Do not store or ship with oxidizers. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal. **PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrcycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.